APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office
Returned to applicant for correction
Corrected application filed.
Map filed AUG 0 2 1991 under 56617
The applicant Atlandia Design and Furnishings, Inc., for the Mirage Casino-Hotel
3260 South Industrial Road of Las Vegas Street and No. or P.O. Box No. City or Town
Nevada 89109 , hereby makes application for permission to appropriate the public
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartnership or association, give names of members.)
Incorporated July 9, 1979 Incorporated in the State of New Jersey
in the shallow aquifer containing the perched 1. The source of the proposed appropriation is underground nuisance water at the "Mirage" project Name of stream, lake, spring, underground or other source in Clark County, Nevada, a.k.a. Las Vegas Basin (see attached Overall Area Plan)
2. The amount of water applied for is
(a) If stored in reservoir give number of acre-feet not applicable
3. The water to be used for recreational use (see "No. 12. Remarks") Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation, state number of acres to be irrigated approximately 11 acres of landscaping
(b) Stockwater, state number and kinds of animals to be watered not applicable
(c) Other use (describe fully under "No. 12. Remarks")
(d) Power:
(1) Horsepower developed not applicable
(2) Point of return of water to stream not applicable
5. The water is to be diverted from its source at the following point SW4 NW4 SECTION 16, TOWNSHIP 21S., RANGE 61 E., M.D.M., CLARK COUNTY, NEVADA BEARING: Describe as being within a 40-acre subdivision of public SOUTH 12° 04' 02" WEST 3553.78' TO THE SOUTHEAST CORNER (SE COR) OF SECTION survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. 17 (POINT OF DIVERSION "V")
6. Place of use within the Project Area known as the "Mirage" Project (see attached Overa
Area Plan, dated 08/01/91). All within the following "¼-¼" Sections: NW¼ SW¼ SECTION 16, TOWNSHIP 21 S., RANGE 61 E., M.D.M., CLARK COUNTY, NEVADA SW¼ NW¼ SECTION 16, TOWNSHIP 21 S., RANGE 61 E., M.D.M., CLARK COUNTY, NEVADA NW¼ SE¼ SECTION 17, TOWNSHIP 21 S., RANGE 61 E., M.D.M., CLARK COUNTY, NEVADA NE¼ SE¼ SECTION 17, TOWNSHIP 21 S., RANGE 61 E., M.D.M., CLARK COUNTY, NEVADA SW¼ NE¼ SECTION 17, TOWNSHIP 21 S., RANGE 61 E., M.D.M., CLARK COUNTY, NEVADA SE¼ NE¼ SECTION 17, TOWNSHIP 21 S., RANGE 61 E., M.D.M., CLARK COUNTY, NEVADA
7. Use will begin about January 01 and end about December 31, of each year.
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.)drilled.well.with.pump.and.motor
flumes, drilled well with pump and motor, etc.
9. Estimated cost of worksunknown at this time

		unknown at this time If well completed, describe works.	
11.	Estimated time required to complete the application water savings at the "Mirage",	Project completion expected of water to beneficial use mid 1992. Besides benefit of removal of the nuisance water is considered benefi	
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.		
r		p.s/Patar T Smith	
Com	npared bc/bc am/se	By s/Peter T. Smith Peter T. Smith, A.I.A., Executive Vice Presider 3260 South Industrial Road Las Vegas, Nevada 89109	
Prote	ested		
	APPROVAL	OF STATE ENGINEER	
d tount T a e. ter	that the final water right obtained use of water actually placed to benefice this permit is issued subject to the sand based on the particular hydrol. The water to be diverted under the caused by secondary recharge and term availability for continuous use	ne provisions of NRS 534.025 and 534.050 (2) logic conditions in the area of the place of his permit is a result of the rise of ground therefore does not provide or guarantee the	
ter. ter. A ear tenefit fore Total CONTI The a	A dedicated monitoring well can be tate Engineer shall approve the place a totalizing meter must be install the point of diversion and accurate must be installed use. The totalizing meters any use of water begins, or before the place of use of this permit of use which is called the Mirage Proposition of water to be appropriated shall be limited to the material of the water to be appropriated shall be limited to the material of water to be appropriated shall be limited to the material of water to be appropriated shall be limited to the material of water to be appropriated shall be limited to the material of water to be appropriated shall be limited to the material of water to be appropriated shall be limited to the material of water to be appropriated shall be limited to the material of the material of the material of water to be appropriated shall be limited to the material of the	two (2) inch opening for measuring depth to e used in lieu of this two (2) inch opening. Sement of any monitoring wells. Led and maintained in the discharge pipeline measurements must be kept of water placed to so and any monitoring wells must be installed the Proof of Completion of Work is filed. Lis limited to the area described within the coject. To the amount which can be applied to beneficial use, and not to be feet per second but not to exceed 302 acre-	
ter. a St ar tenefi fore Total CONTI The a	A dedicated monitoring well can be tate Engineer shall approve the place a totalizing meter must be install the point of diversion and accurate must be installed to the point of diversion and accurate must be any use. The totalizing meters any use of water begins, or before the place of use of this permit of use which is called the Mirage Proposition (NUED ON PAGE 2) amount of water to be appropriated shall be limited to the divergence of the place of use of the mirage of the mirage of use which is called the mirage of use of use of the mirage of use of the mirage of use of use of the mirage of use of the mirage of use of us	two (2) inch opening for measuring depth to e used in lieu of this two (2) inch opening. Ement of any monitoring wells. Led and maintained in the discharge pipeline measurements must be kept of water placed to so and any monitoring wells must be installed the Proof of Completion of Work is filed. Is limited to the area described within the coject. To the amount which can be applied to beneficial use, and not to bic feet per second but not to exceed 302 acre-	
ter. ter. ter. A ar tenefi fore T ace CONTI The a excect	A dedicated monitoring well can be cate Engineer shall approve the place a totalizing meter must be install the point of diversion and accurate must be call use. The totalizing meters any use of water begins, or before the place of use of this permit of use which is called the Mirage Proposition of water to be appropriated shall be limited amount of water to be appropriated shall be limited to the distribution of the prosecuted with reasonable diligence and the water to be prosecuted with reasonable diligence and the categories of the place of t	two (2) inch opening for measuring depth to e used in lieu of this two (2) inch opening. Sement of any monitoring wells. Led and maintained in the discharge pipeline measurements must be kept of water placed to so and any monitoring wells must be installed the Proof of Completion of Work is filed. Lis limited to the area described within the coject. To the amount which can be applied to beneficial use, and not to be feet per second. Let but not to exceed 302 acresise to the completed on or before. February 14, 1994	
ter. te St A ar tenefi fore T ace ONTI The a excect	A dedicated monitoring well can be tate Engineer shall approve the place a totalizing meter must be install the point of diversion and accurate must be installed to the point of diversion and accurate must be any use. The totalizing meters are any use of water begins, or before the place of use of this permit of use which is called the Mirage Proposition of water to be appropriated shall be limited to the diversion of the divers	two (2) inch opening for measuring depth to e used in lieu of this two (2) inch opening. Sement of any monitoring wells. Led and maintained in the discharge pipeline measurements must be kept of water placed to so and any monitoring wells must be installed the Proof of Completion of Work is filed. Lis limited to the area described within the coject. To the amount which can be applied to beneficial use, and not to be seed and any monitoring wells must be installed to the Proof of Completion of Work is filed. Lis limited to the area described within the coject. The amount which can be applied to beneficial use, and not to be seed and any monitoring wells must be installed to the Proof of Completed to beneficial use, and not to be seed and any monitoring wells must be installed to the Proof of Completion of Work is filed. Lis limited to the area described within the coject. March 14, 1994	
ter. ter. ter. A ear tenefic fore Total CONTI The a exceed Work Proof	A dedicated monitoring well can be tate Engineer shall approve the place a totalizing meter must be install the point of diversion and accurate must be installed the point of diversion and accurate must be any use. The totalizing meters are any use of water begins, or before the place of use of this permit of use which is called the Mirage Proposition of water to be appropriated shall be limited amount of water to be appropriated shall be limited the different annually. It was be prosecuted with reasonable diligence and of of completion of work shall be filed on or before. It is a shall be made on the different shall be different shall be made on the different shall be different	two (2) inch opening for measuring depth to a used in lieu of this two (2) inch opening. Sement of any monitoring wells. Led and maintained in the discharge pipeline measurements must be kept of water placed to so and any monitoring wells must be installed the Proof of Completion of Work is filed. is limited to the area described within the coject. to the amount which can be applied to beneficial use, and not to be completed on or before. February 14, 1994 March 14, 1994 February 14, 1997	
ter. a St ar tenefic fore Tace CONTI The acce work Proof	A dedicated monitoring well can be tate Engineer shall approve the place a totalizing meter must be install the point of diversion and accurate must be installed to point of diversion and accurate must be any use. The totalizing meters any use of water begins, or before the place of use of this permit of use which is called the Mirage Proposed of the Mirage Proposed of the Appropriated shall be limited to the must be prosecuted with reasonable diligence and of of completion of work shall be filed on or before. It is application of water to beneficial use shall be made on of the application of water to beneficial use shall be made on the first of the application of water to beneficial use shall be made on the first of the application of water to beneficial use shall be made on the first of the application of water to beneficial use shall be made on the first of the application of water to beneficial use shall be made on the first of the application of water to beneficial use shall be made on the first of the application of water to beneficial use shall be made on the first of the application of water to beneficial use shall be made on the first of the application of water to beneficial use shall be made on the first of the application of water to beneficial use shall be made on the first of the application of water to beneficial use shall be made on the first of the application of water to beneficial use shall be made on the first of the application of water to beneficial use shall be made on the first of the first	two (2) inch opening for measuring depth to e used in lieu of this two (2) inch opening. Ement of any monitoring wells. Led and maintained in the discharge pipeline measurements must be kept of water placed to sand any monitoring wells must be installed the Proof of Completion of Work is filed. is limited to the area described within the roject. to the amount which can be applied to beneficial use, and not to sic feet per second, but not to exceed 302 acre— March 14, 1994 March 14, 1997 be filed on or before	
ter. ace Stenefic fore To ace CONTI The acce Work Proof Appl Proof Map	A dedicated monitoring well can be tate Engineer shall approve the place a totalizing meter must be install the point of diversion and accurate must be installed the point of diversion and accurate must be any use. The totalizing meters are any use of water begins, or before the place of use of this permit of use which is called the Mirage Proposed of the Mirage Proposed of Water to be appropriated shall be limited the diversion of water to be appropriated shall be limited the diversion of water to be filed on or before. It is application of water to beneficial use shall be filed on the following of the application of water to beneficial use shall be filed on the support of proof of beneficial use shall be filed on the suppor	two (2) inch opening for measuring depth to e used in lieu of this two (2) inch opening. Sement of any monitoring wells. Led and maintained in the discharge pipeline measurements must be kept of water placed to so and any monitoring wells must be installed the Proof of Completion of Work is filed. Is limited to the area described within the coject. It to the amount which can be applied to beneficial use, and not to be completed on or before. February 14, 1994 March 14, 1994 Defined on or before. March 14, 1997 Defined on or before. March 14, 1997 March 14, 1997	
ter. ace Stenefic fore Tace CONTI The ace Work Proof Appl Proof Map	A dedicated monitoring well can be cate Engineer shall approve the place a totalizing meter must be install the point of diversion and accurate must be installed the point of diversion and accurate must be any use. The totalizing meters are any use of water begins, or before the place of use of this permit of use which is called the Mirage Proposed of the Mirage Proposed of Water to be appropriated shall be limited the diversity of water to be appropriated shall be limited to the diversity of completion of work shall be filed on or before. It is support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be filed on the support of proof of beneficial use shall be support of proo	two (2) inch opening for measuring depth to e used in lieu of this two (2) inch opening. Ement of any monitoring wells. Led and maintained in the discharge pipeline measurements must be kept of water placed to sand any monitoring wells must be installed the Proof of Completion of Work is filed. is limited to the area described within the roject. to the amount which can be applied to beneficial use, and not to sic feet per second, but not to exceed 302 acre— March 14, 1994 March 14, 1997 be filed on or before	
Tater. ne St Aear tenefic efore Tace CONTI The aexcect Work Proof Appl Proof Map Comp	A dedicated monitoring well can be cate Engineer shall approve the place a totalizing meter must be install the point of diversion and accurate must be installed the point of diversion and accurate must be call use. The totalizing meters are any use of water begins, or before the place of use of this permit of use which is called the Mirage Proposed of the Mirage Proposed of the Mirage Proposed of Water to be appropriated shall be limited the disconsistent of water to be appropriated shall be limited to ed	two (2) inch opening for measuring depth to e used in lieu of this two (2) inch opening. Ement of any monitoring wells. Led and maintained in the discharge pipeline measurements must be kept of water placed to e and any monitoring wells must be installed the Proof of Completion of Work is filed. is limited to the area described within the roject. to the amount which can be applied to beneficial use, and not to see feet per second, but not to exceed 302 acre- be completed on or before	
Tater. ater. A ear tenefice fore CONTI The acce Work Proof Appl Proof Map Comp	A dedicated monitoring well can be cate Engineer shall approve the place a totalizing meter must be install the point of diversion and accurate must be installed the point of diversion and accurate must be call use. The totalizing meters are any use of water begins, or before the place of use of this permit of use which is called the Mirage Proposed of the Mirage Proposed of the Mirage Proposed of Water to be appropriated shall be limited the ded	two (2) inch opening for measuring depth to a used in lieu of this two (2) inch opening. Sement of any monitoring wells. Led and maintained in the discharge pipeline measurements must be kept of water placed to so and any monitoring wells must be installed the Proof of Completion of Work is filed. Is limited to the area described within the coject. It to the amount which can be applied to beneficial use, and not to be completed on or before. February 14, 1994 March 14, 1994 March 14, 1997 The filed on or before. March 14, 1997	
Tater. ne St Aear teneficefore Thace CONTI The aexcect Work Proof Appl Proof Cultur Certifi	A dedicated monitoring well can be cate Engineer shall approve the place a totalizing meter must be install the point of diversion and accurate must be installed the point of diversion and accurate must be call use. The totalizing meters are any use of water begins, or before the place of use of this permit of use which is called the Mirage Proposed of the Mirage Proposed of the Mirage Proposed of Water to be appropriated shall be limited the ded	two (2) inch opening for measuring depth to a used in lieu of this two (2) inch opening. Sement of any monitoring wells. Led and maintained in the discharge pipeline measurements must be kept of water placed to so and any monitoring wells must be installed the Proof of Completion of Work is filed. Is limited to the area described within the coject. It to the amount which can be applied to beneficial use, and not to be completed on or before. Be completed on or before. February 14, 1994 March 14, 1994 Or before. March 14, 1997 De filed on or before. March 14, 1997	

Page 2 56638

(PERMIT TERMS CONTINUED)

The depth of the well under this permit shall not in any case exceed sixty feet in depth nor shall the well penetrate any confining layer below this shallow aquifer.

A monthly report shall be submitted to the State Engineer within 10 days from the end of each month which shall include the amount of water pumped from each well, the use of the water and the depth to water in this well or any monitoring well.

the use of the water and the depth to water in this well or any monitoring well.

Water quality samples shall be taken from each well on a quarterly basis, analyzed for total dissolved solids (TDS), pH and sulfates (SO₄), and reported to this office along with the appropriate monthly report.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 56617, 56618, 56619, 56620, 56621, 56622, 56623, 56624, 56625, 56626, 56627, 56628, 56629, 56630, 56631, 56632, 56633, 56634, 56635, 56636, 56637, 56638, 56639, 56640, 56641, 56642, 56643 and 56644 shall not exceed 302 acre-feet annually.

The State retains the right to regulate the use of the water herein granted at any and all times.